

PATRICK D. KELLY
PATENT ATTORNEY, ATTORNEY AT LAW

RECEIVED
CENTRAL FAX CENTER

APR 30 2007

11939 Manchester #403
St. Louis, MO 63131

314-822-8558
FAX: 314-822-8998

Please deliver this transmission, which contains 11 pages
(including this cover page) to:

TO: **EXAMINER DAVID ISABELLA**
U.S. Patent & Trademark Office
Art Unit 3783

FAX NUMBER: 571-273-8300

PHONE NUMBER: 571-272-4749

DATE SENT: April 30, 2007

COMMENTS: *Ser. No. 09/544,341*
Mansmann, Docket KM-M1

IF YOU DID NOT RECEIVE ALL OF THE PAGES, CALL 314-822-8558
(COLLECT IF NECESSARY) AS SOON AS POSSIBLE. THANK YOU.

Docket No. KM-M1

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Application of MANSMANN)
Serial No. 09/544,341) Examiner: D.J. Isabella
Filed April 6, 2000) Art Unit 3738

RECEIVED
CENTRAL FAX CENTER
APR 30 2007

Title: SEMI-PERMEABLE MEMBRANES TO ASSIST IN CARTILAGE REPAIR

CERTIFICATE OF FACSIMILE TRANSMISSION

I hereby certify that this correspondence is being transmitted via
facsimile to Examiner David Isabella, of Art Unit 3738, at
facsimile number 1-571-273-8300, on April 30, 2007.

Name of Attorney: Patrick D. Kelly

Signature: Patrick D. KellyDate: 30 April 2007

AFTER-FINAL RESPONSE

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

In response to a Final Office Action mailed on February 8, 2007, the Examiner is respectfully requested to enter the amendments below, into the record of this application.

The rejections in the Final Office Action were based on US 6,319,712 (Meenen et al 2001), which had not been cited previously, and which was not known to the Applicant until cited by the Examiner in the Final Office Action. Accordingly, the amendments herein are addressed toward overcoming the newly-cited prior art.

The amendments requested herein appear on pages 2-7.
Supporting remarks and analysis begin on page 8.